



**Wholesale Distributor to the HVAC/R Industry Since 1957**

**Fairfield, NJ - Middlesex, NJ - Mt. Laurel, NJ - Lakewood, NJ**

**HOME ♦ PRODUCTS ♦ VENDORS ♦ SPECIALS ♦ DOWNLOADS ♦ NEWS ♦ DIRECTIONS ♦ TRAINING ♦ ABOUT ♦ CONTACT ♦ CAREERS ♦ SAFETY**

DAILY DELIVERIES SERVING: *New Jersey \* New York \* Connecticut \* Pennsylvania \* Delaware*  
 TELEPHONE: **1-800-458-7329**

**Emergency Rentals**



Luce, Schwab & Kase has a 24-hour emergency rental fleet featuring: *MOVINCOOL*, *OceanAire* and *Pinguino* portable spot cooling units.

[Click here to learn more](#)

**Mitsubishi Mr.Slim®**




**Mr. SLIM**

**INVERTER**



Mitsubishi Mr. Slim® split-system ductless air conditioning and heat pumps, featuring Mitsubishi's Inverter

**Armstrong Air Magic-Pak®**



Magic-Pak

**Exclusive New Jersey Distributor of Magic-Pak® units!**

Luce, Schwab & Kase is the exclusive Magic-Pak® distributor for the state of New Jersey! If your building plans include the need for a through-the-wall heating & cooling combo unit for your condo or apartment building, the Armstrong Air Magic-Pak® is the solution for you.

**Designed and Built For Designers and Builders**

Simple installation makes Magic-Pak® heating & cooling systems easier fro compatibility in any building design with multi-units. Our combination, through-the-wall units come in completely self-contained package, eliminating complicated installation procedures of conventional systems.

Building management is simplified with Magic-Pak®'s reliability and practical maintenance features. Service downtime is minimized, and central-system shutdowns are entirely eliminated. Tenants are contented with convenient individual controls.

Building industry professionals such as architects, engineers and builders have been requesting Magic-Pak® heating & cooling

**Major Brands Carried**

**MOVINCOOL.**

**FRASER-JOHNSTON.**  
Heating • Air Conditioning

**ARMSTRONG AIR.** There's comfort in strength

*magic-pak*  
**ALLIED**  
Air Enterprises

**MITSUBISHI ELECTRIC**  
COOLING & HEATING  
*Live Better*

**Mr. SLIM.**  
Split-ductless A/C and Heat Pumps  
**CITY MULTI**

**CONCORD**  
Quality heating and cooling products

**The Unico System®**  
Small-Duct Central Heating & Air Conditioning

**Buderus**  
Bosch Group

**MODINE**  
**HOT**

technology to deliver the precise amount of cooling or heating.

[Click here to learn more](#)

Mitsubishi City Multi®



Mitsubishi City Multi® simultaneous heating and cooling systems, featuring Mitsubishi's Inverter technology to deliver the precise amount of cooling or heating to all connected zones.

[Click here to learn more](#)

Armstrong Air Magic-Pak®



Armstrong Air Magic-Pak® through-the-wall heating and cooling combination.

[Click here to learn more](#)

MOVINCOOL Classic Series



products for over thirty-five years. Repeated-sales figures provide an impressive, continuing record of customer satisfaction. Magic-Pak® units successfully prove that multi-unit heating-and-cooling can be simple, easy and reliable.

**Easy To Install, Simple To Service**

Magic-Pak® units come pre-wired and pre-charged with refrigerant. Simply place the self-contained combination unit, attach the condensate drain, hook-up power and thermostat connections (and the gas line on our MGE). There are no complications – no outdoor condenser unit, no separate cooling coil, no external refrigerant lines, and no chimney.

Once they're in place, building managers can virtually forget about them. Maintenance problems practically disappear with Magic-Pak®'s reliable design.

**Magic-Pak® Advantages**

the MGE, MHP, and MCE Magic-Pak® units boast an extensive array of features and product innovations, and offer many valuable benefits to you customers:

- Unobtrusive design – small footprint and wall-opening requirement
- Low operating sound levels
- 10 SEER & 12 SEER High-efficiency models
- Four standard louver colors (Bone White, Taupestone, Surrey Beige & Sandstone) – Custom colors available.
- Robust heating, cooling and air-side performance.
- Anti-microbial insulation in air handling compartment (MHP & MCE).
- Fully-insulated cabinet.
- Drain connection in chassis base for easy cleaning.
- Large access panels – unit is serviced with chassis in place.
- Low installed, maintenance and life-cycle costs.

**Features:**

- Slide-Out Cooling Chassis
- Easily Installed
- Mounts Flush to Any Outside Wall – Requires No Chimney
- The alternative to central systems allows individual metering and control and eliminates building wide shut-downs.
- The alternative to split systems, no condensers on roof or grounds. No refrigerant lines necessary.
- The answer to all HVAC requirements, provides both heating and cooling in one self-contained package.

**Specifications:**

- [MGE4-Series](#)
- [MHP4-Series](#)
- [MCE4-Series](#)

**Videos:**



HIGH EFFICIENCY II



Honeywell



Some of Our Major Product Lines include:  
Fraser-Johnston,  
Armstrong Air,  
Armstrong Air MagicPak®, Mitsubishi Electric Mr.Slim® & City Multi®, Mavincool, The Unico System, Buderus and Modine Hot Dawg® & High Efficiency II®, Concord, Honeywell and Source I.

[Click here to view full product lines](#)

MOVINCOOL Preferred Distributor



Luce, Schwab & Kase is a proud MOVINCOOL Preferred Distributor™

Mitsubishi Diamond Distributor

MOVINCOOL Classic series portable air conditioning units from 10,000 to 60,000 Btu/h. Emergency rental units are available.

[Click here to learn more](#)

What is Spot Cooling?




[Click here to learn more about MOVINCOOL Spot Cooling](#)

QUICK LINKS

- [2012 Product Line Card](#)
- [MOVINCOOL Units](#)
- [OceanAire Units](#)
- [Mitsubishi MR, SLIM Units](#)
- [Mitsubishi CITY MULTI Units](#)
- [Armstrong MAGIC-PAK Units](#)
- [Unico System](#)
- [Rental Units](#)
- [All Products](#)

- [Magic-Pak® YouTube Channel](#)



Product Overview

Gas Heating/Electric Cooling • Electric Heating/Electric Cooling  
Electric Heat Pumps

GAS HEATING/ELECTRIC COOLING

Armstrong Air Vintage™-Series Magic-Pak's



Features:

- 9.0 EER cooling efficiency.
- Completely self-contained heating and cooling unit.
- Pre-wired and pre-charged.
- Individually metered and controlled.
- Slide out cooling chasis available as a replacement part for all units.
- Internal vent system (direct vent).
- Optional stainless steel, low NOx and high-altitude units available.
- Accessories such as wall sleeves, low ambient kits & decorative extruded aluminum louvers available.

Refrigeration System:

- High efficiency compressor.
- Copper tubing with enhanced fin coil.
- R410a refrigerant.

Heat Exchanger:

- Standard aluminized steel tubular heat exchanger.
- Optional 409 stainless steel heat exchanger.

Blower:

- Multispeed motor for wide airflow range.
- PSC permanently lubricated motor for low maintenance and maximum efficiency.
- Dynamically balanced blower with resilient motor mounts for smooth and quiet operation.
- Internal washable filter.

Controls:

- Color-coded wiring for easy service.

Warranty:

- 5-year limited warranty on parts.
- 10-year warranty on aluminized steel heat exchanger.
- 20-year warranty on stainless steel heat exchanger.



**Vintage-Series (HWC4):**  
Gas Heating/Electric Cooling  
Magic-Pak's [1 - 2.5 tons]  
(26,000 - 64,000 MBH)

[Download Armstrong Air Magic-Pak Vintage-Series Literature](#)

**DIAMOND DISTRIBUTOR**

Luce, Schwab & Kase is a proud Mitsubishi Diamond Distributor™

HARDI

**HARDI**

PROUD MEMBER

Luce, Schwab & Kase is a proud member of HARDI

Make-A-Wish

**MAKE A WISH.**

Luce, Schwab & Kase is a proud participant in Luxaire's Make-A-Wish® Program

### Armstrong Air M™-Series Magic-Pak's



#### Features:

- 9.0 EER cooling efficiency.
- Completely self-contained heating and cooling unit.
- Pre-wired and pre-charged.
- Individually metered and controlled.
- Electric kW range – 3-10 kW.
- Small wall opening required – 29-1/8" H x 29-1/8" W on most models.

#### Refrigeration System:

- High efficiency compressor.
- Copper tubing with enhanced fin coil.
- R410a refrigerant.

#### Heat Exchanger:

- Standard aluminized steel tubular heat exchanger.
- Optional 409 stainless steel heat exchanger.

#### Blower:

- Multispeed motor for wide airflow range.
- PSC permanently lubricated motor for low maintenance and maximum efficiency.
- Dynamically balanced blower with resilient motor mounts for smooth and quiet operation.
- Internal washable filter.

#### Controls:

- Color-coded wiring for easy service.

#### Cabinet:

- Galvanized steel cabinet protection.

#### Warranty:

- 5-year limited warranty on parts.

#### Accessories:

- Several louver styles and many color options available.
- Many wall sleeve options available to fit different types of wall designs.
- Optional factory-installed ventilation kit available.

#### M-Series (MGE4):

Gas Heating/Electric Cooling Magic-Pak's [1 – 3 tons] (26,000 – 64,000 MBH)

[Download Armstrong Air Magic-Pak M-Series Literature](#)

### ELECTRIC HEATING/ELECTRIC COOLING

### Armstrong Air Vintage™-Series Magic-Pak's

#### Features:

- 9.0 EER cooling efficiency.
- Completely self-contained heating and cooling unit.
- Pre-wired and pre-charged.
- Individually metered and controlled.
- Slide out cooling chasis available as a replacement part for all units.
- Internal vent system (direct vent).
- Optional stainless steel, low NOx and high-altitude units available.
- Accessories such as wall sleeves, low ambient kits & decorative extruded aluminum louvers available.

#### Refrigeration System:

- High efficiency compressor.



**Vintage-Series (EWC4):**  
Electric Heating/Electric Cooling  
Magic-Pak's [1 - 2.5 tons]  
(26,000 - 64,000 MBH)

[Download Armstrong Air Magic-Pak Vintage-Series Literature](#)

- Copper tubing with enhanced fin coil.
- R410a refrigerant.

**Heat Exchanger:**

- Standard aluminized steel tubular heat exchanger.
- Optional 409 stainless steel heat exchanger.

**Blower:**

- Multispeed motor for wide airflow range.
- PSC permanently lubricated motor for low maintenance and maximum efficiency.
- Dynamically balanced blower with resilient motor mounts for smooth and quiet operation.
- Internal washable filter.

**Controls:**

- Color-coded wiring for easy service.

**Warranty:**

- 5-year limited warranty on parts.
- 10-year warranty on aluminized steel heat exchanger.
- 20-year warranty on stainless steel heat exchanger.

## Armstrong Air M™-Series Magic-Pak's



**Features:**

- 9.0 EER cooling efficiency.
- Completely self-contained heating and cooling unit.
- Pre-wired and pre-charged.
- Individually metered and controlled.
- Electric kW range - 3-10 kW.
- Small wall opening required - 29-1/8" H x 29-1/8" W on most models.

**Refrigeration System:**

- High efficiency compressor.
- Copper tubing with enhanced fin coil.
- R410a refrigerant.

**Heat Exchanger:**

- Standard aluminized steel tubular heat exchanger.
- Optional 409 stainless steel heat exchanger.

**Blower:**

- Multispeed motor for wide airflow range.
- PSC permanently lubricated motor for low maintenance and maximum efficiency.
- Dynamically balanced blower with resilient motor mounts for smooth and quiet operation.
- Internal washable filter.

**Controls:**

- Color-coded wiring for easy service.

**Cabinet:**

- Galvanized steel cabinet protection.

**Warranty:**

- 5-year limited warranty on parts.

**Accessories:**

- Several louver styles and many color options available.
- Many wall sleeve options available to fit different types of wall designs.
- Optional factory-installed ventilation kit available.

**M-Series (MCE4):**

Electric Heating/Electric Cooling  
Magic-Pak's [1 – 3 tons] (26,000 – 64,000 MBH)

[Download Armstrong Air Magic-Pak M-Series Literature](#)

## ELECTRIC HEAT PUMPS

### Armstrong Air M™-Series Magic-Pak's

**Features:**

- 9.0 EER cooling efficiency.
- Completely self-contained heating and cooling unit.
- Pre-wired and pre-charged.
- Individually metered and controlled.
- Electric kW range – 3-10 kW.
- Small wall opening required – 29-1/8" H x 29-1/8" W on most models.

**Refrigeration System:**

- High efficiency compressor.
- Copper tubing with enhanced fin coil.
- R410a refrigerant.

**Heat Exchanger:**

- Standard aluminized steel tubular heat exchanger.
- Optional 409 stainless steel heat exchanger.

**Blower:**

- Multispeed motor for wide airflow range.
- PSC permanently lubricated motor for low maintenance and maximum efficiency.
- Dynamically balanced blower with resilient motor mounts for smooth and quiet operation.
- Internal washable filter.

**Controls:**

- Color-coded wiring for easy service.

**Cabinet:**

- Galvanized steel cabinet protection.

**Warranty:**

- 5-year limited warranty on parts.

**Accessories:**

- Several louver styles and many color options available.
- Many wall sleeve options available to fit different types of wall designs.
- Optional factory-installed ventilation kit available.

**M-Series (MHP4):**

Electric Heat Pump Magic-Pak's  
[1 – 3 tons] (26,000 – 64,000 MBH)

[Download Armstrong Air Magic-Pak M-Series Literature](#)

*4 Convenient Locations Throughout New Jersey!*

**HEADQUARTERS**

**9 Gloria Lane  
Fairfield, NJ 07004  
(973) 227-4840  
Fax: (973) 227-8750**

**BRANCH**

**245 Lackland Drive West  
Middlesex, NJ 08846  
(732) 560-0340  
Fax: (732) 560-8691**

**BRANCH**

**110 Gaither Drive—Unit D  
Mt. Laurel, NJ 08054  
(856) 778-0204  
Fax: (856) 778-0542**

**BRANCH**

**750 Airport Road  
Lakewood, NJ 08701  
(732) 370-9111  
Fax: (732) 370-9444**

Copyright ©2015-2017 Lyco, Schwab & Kase, Inc. All Rights Reserved  
Website Design & Webmaster Services by: [Cybervision Web](#)

